

BRASS MOULDING INSERT





Features Manufactured as per International Standard. Excellent Surface Finish, Accuracy.

Material Free Cutting Brass - IS 319 G I or G II CZ121, CuZn39Pb3, CuZn40Pb2

CuZn36Pb2As or as per requirement of product application

Threads ISO Metric, BA Threads, BSW Threads » UNC & UNF Threads » BSP, BSPT, NPT

And any International Standard Type

Finish & Coating Natural, Nickel, Tin, Silver, Chrome Plated, Sand Blasted, Annealed, etc. or any

coating as per customer specification.

Type Straight & Diamond Knurling

Length / Size Begins from M2 on equivalent threads and up to any size as per customer

design & requirements. BRASS FASTENERS - NUTS, BOLTS AND WASHERS

Features Manufactured as per International Standard. Excellent Surface Finish, Accuracy.

Material » Free Cutting Brass - IS 319 G I or G II

» CZ121, CuZn39Pb3, CuZn40Pb2, CuZn36Pb2As or as per

» Requirement of product application

Threads » ISO Metric, BA Threads, BSW Threads

» UNC & UNF Threads

» BSP, BSPT, NPT And any International Standard Type

Finish & Coating Natural, Nickel, Tin, Silver, Chrome Plated, Sand Blasted, Annealed, etc. or any

coating as per customer specification.

BRASS MACHINE COMPONENT







Features

We offer Brass Machined parts and Component to user drawings and prints. We specialize in machined Brass Component, Brass Turned Component, big cast machined brass component. Cast Component, brass Forged brass Component, Stamped brass Component from miniature 1mm to 200 mm.

Special Brass Turned Parts

We shall be pleased to develop Non-Standard Brass machined Component, nuts screws, studs, fixings wood screws, machine screws, fasteners as per specific requirements.

Material

Free cutting Brass 319 type or BS 249 type Any special Brass Composition as per customers requirement

Threads

- » ISO Metric (MM Threads)
- » BA Threads
- » BSW Threads (inches)
- » BSW Threads
- » UNC & UNF Threads
- » UNEF Threads

Length / Size

2mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 16mm, 20mm, 25mm 32mm, 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1", 11/8", 11/4" 11/2", 13/4", 2".

Finish & Coating Brass natural, Electro-Tinned, Nickel etc.

BRASS CNC TURNED COMPONENTS





CNC Turning and CNC machining to your specification with Accuracy of as Low as 10 Microns.

PRODUCTS RANGE AS PER CUSTOMER'S SPECIFICATIONS:

Features Provides high quality surface finish Complex parts can be made e □ectively Very

High Quality Parts can be made of turning diameter between 10mm to 70mm Accuracy of 10 to 20 microns can be achieved with high precision Ideal for highly customized Precision components Any Kind of special turned parts can be made

as per customer's specifications

Material »High Grade Free Cutting Brass

»IS 319 Brass Free Cutting

»Free Cutting Brass as per BS 249 type (i)

»Aluminum

»Stainless steel

»Steel

»Red brass

»Any special brass material compositions as per customer's requirement

Threads ISO metric, MM, PG, BSW, BSP, BSB, BSF, BA, NPT, NPTF, UNC, UNF, UNEF etc Any

threads as per customer's design

Finish & Coating Brass Natural, Electro Tinned, Nickel, Chrome, Led, Silver, Gold, Zinc Blue or any

special finish/plating as per customer specifications.

Any kind of CNC Turned Components can be developed and supplied exactly as per customer specifications.

BRASS ANCHORS





Products Range Brass Knurling Anchors

Brass Drop in Anchors
Brass Sleeve Anchors
Brass Pool Cover Anchors
Brass Slotted Anchors
Brass Sleeve Anchors
Brass Round Stud Anchors
Brass Wood Anchors

Brass Wood Anchors Brass Concrete Anchors Brass Pool Anchors Brass Plain Anchors Brass Wedge Anchors Brass Expansion Anchors

Material FFree Cutting Brass IS 319 Type (I)

Free Cutting Brass as per BS 249 Type (I)

High Grade Free Cutting Brass

Any Special Brass Material Composition as per customer's requirement

Threads IISO metric (MM Threads)

BA Threads BSW Threads

UNC & UNF Threads

As per Customers Requirements

Length / Size NM4, M5, M6, M8, M10, M12, M14, M16

Finish & Coating Natural, Nickel Plated, Tin Plated or any coating as per customer specification.

BRASS FASTENERS





VM PRODUCTS o□ers a range of cold Headed and bar turned / machined / stamped Fasteners and Fixing as per DIN / ISO / BS / ASTM / JIS / GOST standard for various applications. All our Fasteners Confirm to International Specifications and have a very high thread quality. 'Go' and 'Not go' thread gauges are maintained throughout production and after plating.

We cater to various industries like Heating, Switches, Application, Furniture, Automobile, Transformers, Pumps, Motors, Marine, Telecommunication, Petrochemicals, and Control Panels etc. We are Leading Manufacturer of Brass fasteners, Automotive Fasteners, Industrial Fasteners, Copper Fasteners, and MS Fasteners etc.

PRODUCTS RANGE

Bolts Hex Bolts Carriage Bolts Lag Bolts Flange Bolts	Screws Wood Screws Machine Screws Thread Cutting Machine Screws Sheet Metal Screws	Nuts Hex Nut Round Nut Hexagonal Nylon Insert Lock	Washers Flat Washer Spring Washer Split Lock Washer Square Washer
Material	High Grade Free Cutting Brass IS 319 Brass Free Cutting Free Cutting Brass as per BS 249 type (i) Forging Brass as Per BS 218 Any special brass material compositions as per customer's requirement		
Threads	FISO metric, MM, PG, BSW, BSP, BSB, BSF, BA, NPT, NPTF, UNC, UNF, UNEF etc Any threads as per customer's design		
Length / Size	Begins from M2 or equivalent threads and up to any size as per custom design or requirement		
Finish & Coating	Brass Natural, Electro Tinned, Nickel, Chrome, Copper or any special finish/plating		

Any Kind Of Bolts, Nuts, Washers and Screws Can Be Developed And Supplied Exactly As Per Customer Specifications, Design And Requirement.

as per customer specifications

BRASS ELECTRICAL ACCESSORIES





Products Range Brass Neutral Bar

Brass Earth Bar

Brass Metering Current Terminals & Potential Terminals

Brass PCB Connector Block

Brass Switchgear & Switches Terminals

Brass Electrical Plug Pins, Brass Socket Pins Brass Micro MCB, MCCB, ELCBs, Etc Pins

Brass Terminal Blocks are used as accessories in Panel Boards & Electrical Wiring

Boards. Terminal Blocks are required by various industries like Electrical

Electronics & Telecommunications.

Material Free Cutting Brass IS 319 type (i) or

Free Cutting Brass as per BS 249 type (i) or

High Grade Free Cutting Brass or

Any special Brass Material Composition as per customers requirement

Sizes IAs per customer Drawings & specification or Samples.

Finish & Coating NNatural

Nickle Plated Tin Plated or

Any type of Coating As Per Customer Specification

Special Features Available as per the customer specifications and designs

Brass Neutral & Earth Bar Up to 1 meter, can be Developed and Supplied Exactly A

s per Customer Drawings, Design, Specifications, Samples & Requirement

Any kind of brass electrical accessories can be developed and supplied exactly as

per customer specifications.

BRASS FITTINGS





PRODUCTS RANGE

- » AIR BRAKE FITTINGS FOR NYLON TUBE
- » AIR BRAKE HOSE COUPLINGS
- » AIR BRAKE TERMINAL BOLTS
- » UPVC FITTINGS
- » INVERTED FLARE FITTINGS
- » AUTOMOTIVE FITTINGS
- » HOSE FITTINGS
- » AIR SHIFT TRANSMISSION FITTINGS
- » COMPRESSION FITTINGS FOR POLY TUBE
- » THREADED SLEEVE FITTINGS
- » COMPRESSION FITTINGS
- » MALE FEMALE FITTINGS

- » FITTINGS
- » POLY TUBE FITTINGS
- » FLARE FITTINGS
- » PUSH-TO-CONNECT FITTINGS
- » PPR INSERTS FITTINGS
- » SWEAT FITTINGS
- » BRASS FITTINGS
- » AIR BRAKE FITTINGS
- » CPVC INSERTS FITTINGS
- » NYLON TUBE FITTINGS
- » PPR FITTINGS
- » CPVC FITTINGS

Material High Grade Free Cutting Brass

Forging Brass as Per BS 218 IS 319 Brass Free Cutting

Free Cutting Brass as per BS 249 type (i)

Any special brass material compositions as per customer's requirement

Threads FISO metric, MM, PG, BSW, BSP, BSB, BSF, BA, NPT, NPTF, UNC, UNF, UNEF etc Any

threads as per customer's design

Length / Size ISpecification or as per custom design or requirement

Finish & Coating Brass natural, Electro-Tinned, Chrome Nickel etc

Any kind of Fittings can be developed and supplied exactly as per customer specifications.

BRASS NEUTRAL LINK





Neutral Links/Bars are used as an accessory in Panel Boards & Electrical Board in Industries like Electrical, Electronics & Telecommunications. It is a considered as a backbone in Building Circuit Protections such as MCB, Switchgears, Circuit breaker, RCD etc. Panel Board (Distribution Board) comprising of copper bus bars, brass neutral links and earth links to facilitate e □ective distribution of current. It incorporates safety devices such as MCBs, ELCBs and Isolators, which serves to protect the installation. Brass Neutral Link/Bar are very crucial components in every application of its nature. It plays major role in isolation of electric equipment & clearing faulty downstream, by means of Switchgear and preventing short circuit & protecting electric circuit from damage caused by overload in the form of Circuit breaker & so on. Because we understand this criticality, we are committed to deliver high class royal quality Brass Neutrals Links as per International Standards & Specifications, at loyal price. Material: Brass Neutrals Links are available as per IS 319 or BS 249 or BS 2874: CZ 121 or any high graded brass as per custom specification. Screws are available in Brass as well as Steel material. Sizes & Types: Simple Neutral Bar, Earth Connector Bar, Earth Connector with Base are some of the type of Neutral Links available in our standard Range. Any Size from 2 ways to 50 ways to 1 meter to 1.5meter or as per custom requirement can be made available.

BRASS NEUTRAL BAR AND BRASS EARTH BAR

Features Available as per specifications

Material Free Cutting Brass IS 319 Type (I) or BS 249 Type (I) or High Grade

Any Special Brass Material Composition as per customers requirement

Length / Size IBegins from M2 or equivalent threads and upto any size as per custom design

or requirement

Finish & Coating Natural, Nickle Plated, Tin Plated brass neutral link, brass neutral bar and

brass earth bar or any coating as per customer specification.

BRASS SPLIT BOLTS CONNECTOR





Split bolt is a very handy component used in various equipment like industrial, electrical and even electronic equipment. The multifaceted utility of the split bolt depends up on the high quality material used and the precision adopted in the manufacturing process. Split Bolts are widely used to firmly hold any tiny object in between the split to have a precision in its operation whether electrical or industrial.

We manufacture custom made split bolts, brass split bolt connectors and line tap apart from our regular sized and commonly used. To cater the various needs of the customers we turn their ideas in to finished split bolts with 100 percent precision and guarantee.

Features Manufactured from high strength copper alloy Precision Tooled Threads.

Benefits Provides maximum conductivity and a high degree of breakage resistance Allows

maximum torque to be applied Ensures reliability

Material IBS 2874/Freely cut high quality brass rods

Length / Size Split Bolt Connectors are available from 6 mm2 up to 500 mm2. Higher or lower

sizes are possible with customer demand.

Finish & Coating Split bolt Connectors are rolled out in natural brass. They are also copper

coaed/electro tin finished/nickel plated. High conductivity copper also used

on demand of the customers.

SHEET METAL COMPONENTS





Backed by vast industry experience, we are presenting a quality proven array of Brass Pressed Components to the clients that are widely used in automobile, telecom, and plastic industries. Offered products can be availed in various sizes and types; offered array is manufactured by well-qualified professionals using an optimum quality material to cater the varied requirements of our valued customers.

Features » High effciency

» Dimensional accuracy» Operational fluency

Material Brass, Copper, Aluminum, Steel Sheet or As per Customers specification

Length / Size Any size as per custom design or requirement

Finish & Coating Natural, Nickel Plated, Tin Plated or any coating as per customer specification

High Speed Cutting Sheet Aluminum Brass & Copper

Type Any size as per custom design or requirement





Plot No.3643, G.I.D.C., Phase-III, Dared, Jamnagar - 361 004 (Gujarat) INDIA



- **(9)** +91 90048 25447
- **9** +91 92274 83994
- **9** +91 94272 80346



kifastnersindia@gmail.com kishorindindia@gmail.com bhavya.doshi92@gmail.com